



TYLÖ SAUNA  
HEATERS & STEAM  
GENERATORS



# THE UNITED NATIONS OF SAUNA

After being separate brands for a very long time, Tylö and Helo now form TylöHelo. Both brands are proud entities, each with an individual style and approach to creating better lives for our customers. Innovative ideas, determination and visions continue to sit at the core of our businesses and drive our success. We now compile all our individual strengths to form a new and even stronger force in the wellness industry. TylöHelo.

## Contents

About Tylö sauna heaters	4
Soft Sauna	6
Choosing the right heater	8
Electric sauna heaters	10
Sense Sport	11
Sense Elite/Pure	11
Sense Combi Elite/Pure	11
Expression & Expression Combi	11
Professional electric sauna heaters	12
Sense Commercial	12
Soft Sauna - for professional use	13
Wood burning heaters	14
Steam generators	16
The smarter steam generation	18
Steam Commercial & Steam Home	18
Steam accessories	20
Control panels - Elite & Pure	22
Buying guides/specifications	24
Home electric sauna heaters	26
Professional electric sauna heaters	26
Wood burning & Soft Sauna sauna heaters and Steam generators	28
Accessories	29
Control panels for sauna and steam	30
Relay boxes for sauna heaters	30



# ELECTRIC SAUNA HEATERS

ELECTRIC | TYLÖ



Faster heat distribution and heater longevity through Tylö patented air chambers.



Unique protective coating, never too hot to touch.



Less energy consumed and faster reaction time to heat sauna or steam room.



Our sauna heaters are made to the highest standards for durability and longevity. We at TylöHelo are avid sauna bathers and make sure that our products are made for perfect sauna experiences. The engineering that goes into our heaters provides excellent heating performance and maximum efficiency.

## ELEGANT DETAILS

All Tylö heaters are carefully designed to deliver the ultimate sauna experience. The angled grill ensures optimal distribution hot air distribution. The built-in water reservoir gives you a steamier option.

## FAST HEATING THAT SAVES ENERGY

Tylö heaters all heat your sauna room up to twice as fast as any other heater. Tylö's unique Intelli.air system; dynamic air chambers that provide enhanced hot air distribution and the patented divided output feature enables energy savings of up to 30%.

## SAFETY - A HIGH PRIORITY

Overheating cut-offs, thermostats and temperature sensors are vital components that are selected with meticulous care to ensure maximum safety. Tylö's Thermosafe™ is an intergral part of the Sense range of heaters that uses this unique protective coating guarding against accidental burns.

Tylö's unique system of air chambers direct the air flow up through the heater, allowing for increase and effecient heating and directs out up and out from the unit.



## EFFECTIVE WATER SPRINKLING

Tylö heaters' deep, centrally-located stone compartment ensures high steam output from water used.

## MADE IN SWEDEN

Tylö manufactures its sauna heaters completely in-house. The heating elements are manufactured in a closely monitored process to ensure reliable performance and long life.

The choice of materials reflect Tylö's high quality standards. Thanks to in-house production and meticulous quality control you can rest assured that a Tylö heater is a reliable purchase.

## PRODUCT TESTING AND CERTIFICATIONS

All Tylö heaters are being tested throughout the entire manufacturing process. It is very important for us that our products have all the necessary certifications in the operating country for customer peace-of-mind.

Thermosafe™ is an intergral part of the Sense range of heaters that uses this unique protective coating guarding against accidental burns.



The heating elements are manufactured in a closely monitored process to ensure reliable performance and long life.





# SOFT SAUNA


## the multidisciplined sauna

The Soft Sauna experience has been developed with families and togetherness in mind. Soft Sauna versatility means outstanding possibilities for individually tuned sauna experiences.

### SET YOUR TEMPERATURE, YOUR MOISTURE, YOUR EXPERIENCE

Soft Sauna picks up where traditional saunas leave off. You may prefer a hot, dry and quick sauna, your family might like to linger in mild temperatures, enjoying gentle steam and aromatic fragrances. Soft Sauna gives you the resources of a professional spa from one sauna heater solution.

**SOFT SAUNA WITH SENSE COMBI HEATER – THE SOFT SAUNA HEATER**  
Sense Combi is one of our most versatile heaters and one that perfects the sauna experience for the whole family without losing the possibility for an individually tuned Soft Sauna experience.



Sense Combi with Soft Sauna module for added steam generation and sauna versatility.



# CHOOSING THE RIGHT HEATER TO SUIT YOUR SAUNA

Reach the perfect sauna experience and the greatest energy efficiency combined by considering the physical properties of your sauna room. Follow the three easy steps below.



## FIND OUT THE SIZE AND VOLUME OF YOUR SAUNA ROOM

Use the chart on the opposite page to give you an indication of heater choices and ideal power output for your sauna.



## DETERMINE WHAT TYPE OF SAUNA THERAPY YOU PREFER

Different heaters provide different sensations. For example dry, wet and Soft Sauna.





## CHOOSE THE WAY YOU LIKE TO CONTROL YOUR SAUNA

Use an in-room control panel, remote, digital or analogue.

### The sauna room efficiency chart

These guides help you choose the appropriate heater for maximum efficiency and usability.



### PROFESSIONAL

Size of sauna room for professional use with corresponding heater output effect in kilowatts (kW)\*

Heater model	4–8 m³	6–12 m³	10–18 m³	15–35 m³	22–43 m³
Sense Commercial 6	6.6				
Sense Commercial 8		8.0			
Sense Commercial 10			10.7		
Sense Commercial 16				16.0	
Sense Commercial 20					20.0

\* Note: if your sauna room's walls have tiles, stones or glass add 1 m³ to your sauna room's volume for every m² of 'heavy material'.

VISIT TYLOHELO.COM FOR MORE INFORMATION



# HOME ELECTRIC SAUNA HEATERS

## Sense heaters - multi everything

### ENJOY VARIETY

Tylö's electric sauna heaters are one of the keys to enjoying your home spa – exquisitely enveloped in gentle steam and aromatic fragrances or relaxing in traditional dry sauna heat. The way we want to spend our time in a sauna is a matter of personal preference and depends on the needs of the moment; a classic dry sauna, or a more humid Soft Sauna experience. Tylö's electric sauna heaters always deliver top performance thanks to a combination of functionality, aesthetics and environment. Together with attractive surroundings, this creates the conditions for a perfect sauna experience.



Home spa capabilities

Low energy consumption:

Modern styling

Innovative features

Wide range in power output

ELECTRIC | TYLÖ

## Expression heaters - expressing your sense of style

Elegance, purity and sophistication - our line of Expression heaters will add that extra touch of luxury to your sauna room.

### EXPRESSION

- 1 10 kW - For sauna volume 10–18 m³.
- 2 Offers a classic dry sauna.
- 3 Add control panel Elite or Pure with Relay Box Commercial Lite.


### EXPRESSION COMBI

- 1 10 kW - For sauna volume 10–18 m³.
- 2 Offers both dry, wet and steam sauna (Soft Sauna).
- 3 H2 control panel and relay box RB45 are included in the price.

### AVAILABLE IN COLOURS

- Black
- Champagne
- Copper
- Black Thermosafe

More information in buying guide on page 24 and onwards.



### SENSE SPORT

- 1 6.6 kW - for sauna volume 4–8 m³.  
8 kW - for sauna volume 6–12 m³.
- 2 Offers a classic dry sauna.
- 3 Control panel with thermostat and mechanical timer integrated into the base of the heater.



### SENSE ELITE/PURE

- 1 6.6 kW - for sauna volume 4–8 m³.  
8 kW - for sauna volume 6–12 m³.  
10.5 kW - for sauna volume 10–18 m³.
- 2 Offers a classic dry sauna.
- 3 Choose either control panel Elite or Pure to your Sense heater. The control panel is included in the price.



### SENSE COMBI ELITE/PURE

- 1 6.6 kW - for sauna volume 4–8 m³.  
8 kW - for sauna volume 6–12 m³.  
10.5 kW - sauna volume 10–18 m³.
- 2 Offers both dry, wet and steam sauna (Soft Sauna).
- 3 Choose either control panel Elite or Pure for your Combi heater. The control panel is included in the price.

For more information on control panels Elite or Pure go to page 22 & 23.

# PROFESSIONAL ELECTRIC SAUNA HEATERS



Selma Spa in Sunne, Sweden

## Shaped by real life use

Professionally managed environments like saunas in hotels, clubs, swimming baths and sporting facilities prioritize reliability and low energy consumption. Thanks to a tried-and-tested construction, intelligently conceived functions and top quality materials, our Sense Commercial heaters are more than a match for tough use and demanding conditions. The Sense Commercial heaters are equipped with features for smart, efficient and practical use in commercial situations.

### STAND-BY MODE

Senses user frequency and automatically adjusts power output accordingly.

### WIFI-BASED CONTROL PANEL 'ELITE'

Control multiple sauna or steam rooms from a single point of access, such as a front desk, or mobile device.



#### SENSE COMMERCIAL

- 1 6.6 kW - For sauna volume 4–8 m³  
8 kW - For sauna volume 6–12 m³  
10.7 kW - For sauna volume 10–18 m³  
16 kW - For sauna volume 15–35 m³  
20 kW - For sauna volume 22–43 m³
- 2 Offers a classic dry sauna in public settings.
- 3 Add control panel Elite together with relay box Commercial / Commercial Lite.



## Soft Sauna – for professional use

Combine the Steam Commercial generator, Sense Commercial sauna heater with steam distributor, and the Elite control panel to provide a Soft Sauna experience possible in public and commercial spaces. Soft Sauna is a modern take on the traditional sauna. With lower temperatures and plenty of steam, Soft Sauna will give your customers a spa experience to remember and return to. Add aromatic essential oils to the steam and provide a scented sauna session that is even more relaxing.

## Elite control panel

Control and monitor your sauna from the office or reception using nothing but local WiFi, a mobile device and Tylo's WellAccess™ app. The app was specially developed to optimize your sauna experience and is compatible with iOS, Android and desktop PCs.



**CALCULATE HOW MUCH YOU CAN SAVE WITH OUR  
STANDBY TOOL ON TYLOHELO.COM**

### Soft Sauna - Soft Sauna for everyone



Steam Commercial generator



Sense Commercial sauna heater  
with steam distributor



Elite control panel with Relay Box  
Commercial and Tylarium Elite Kit





# WOOD BURNING HEATERS

WOOD | KASTOR

There is something very special about a wood burning sauna. Here at TylöHelo, we appreciate saunas in all their various forms and offer wood burning stoves from long-standing Finnish manufacturer, Kastor, renowned for its world-class quality products. Our wood burning sauna heaters are designed with optimum quality in mind. Not just in terms of physical construction, but also for optimum function. Thanks to skilful engineering we have succeeded in combining modern aesthetics, functionality and a clean burn.

The operating efficiency of our wood burning heaters is unrivalled, and the temperatures of the emitted flue gases are record-low. The efficient combustion is based on the skilled use of insulating and heat-retaining materials, optimisation of the sauna stones container, and above all our efficient double combustion technology. Your heater will heat up quickly, economically and in an environmentally friendly manner. Our heaters that include a water tank allow you to adjust how rapidly the water heats up according to your preference.



## KASTOR SAGA

The Kastor Saga takes wood burning saunas to new heights with 150 to 200 kg of exposed stone providing soothing heat and steam. The surface of the stones makes the stove a delightful focal point.



## KASTOR KARHU

With its depth, air control system and reinforced door, the Karhu is a safe and strong sauna stove. The Coanda system ensures optimal heating efficiency with reduced wood consumption.



## KASTOR KARHU VO/VV

The Karhu VO has a water tank on the right, and the Karhu VV has a water tank on the left (as viewed from the front).



# STEAM GENERATORS

Our newest line of steam generators are engineered to provide top performance under demanding conditions and a variety of water types without failing. Smart control units give you full access to current status and functions. And most importantly our steam generators will envelope you in rich, dense and warm steam and relaxation.



Greater energy efficiency through faster warm-up times.



Less energy consumed and faster reaction time to heat sauna or steam room.



Wifi connectivity for comfort, control and convenience.

**QUALITY**

For over 30 years we have been manufacturing steam generators at our factory in Sweden and have taken great pride in producing top quality products. Smart technical solutions form the basis for sustainable products and are a key contributing factor to our industry leading position.

**COMMUNICATION**

Our control panels allow you to control and monitor up to three steam generators from the same location. You can also set it up on your computer or mobile device.

**INTELLIGENCE**

Two-way communication between the control panel and the steam generator provide a handy real-time overview of all functions.

**SUSTAINABILITY**

Quality control, smart technology and a strong focus on water and energy consumption, we have designed Tylö's steam generators for minimal impact on our environment. The stand-by mode option and our "divided output" function can reduce energy consumption by up to 30%.



## It's all about water

**LESS MAINTENANCE**

A Tylö steam generator will run for many years with no interruption and a minimum of maintenance. They come with an automatic emptying function set according to the water quality in your area.

**HIGH LEVEL OF COMFORT**

Whether our steam generators are installed in a home or public setting, they are designed to offer top-quality enjoyment comfort and safety without interruption. The convenient Multi-Steam function ensures uninterrupted operation in heavily-utilised facilities.

**IT'S NOT JUST STEAM**

Our new steam generators set a new industry standard with their innovative solutions based on decades of experience.

**WE MAKE SURE EVERYTHING OPERATES SMOOTHLY**

To ensure proper steam generation, it is important to analyse the water in your area. The quality of the water has a major bearing on both the function and service life of your steam generator.

Contact your local TylöHelo dealer to determine the water quality before ordering your steam generator system. Sometimes your local water company may be able to provide the information you need.



# SMARTER STEAM GENERATION


Leave the challenges of everyday life behind and enjoy the perfect end to your day in a relaxing steam bath.

TylöHelo has a strong tradition of providing steam generators for public and private use. Our latest series is fitted with a state-of-the-art control unit to ensure precise operation. Control the steam, lights, timer and other features at the simple touch of a button. Add fragrances and relax. Indulge yourself and all your senses.



### TOTAL CONTROL WITH ELITE

Control and monitor your steam room from a distance using nothing but local WiFi, a mobile device and Tylö's app WellAccess™. The app is especially developed to optimise your steam experience and is compatible with iOS, Android and desktop PCs.



Steam Commercial & Home
Automatic empty
Automatic flush
Energy saving feature
Replaceable heater
Limescale repellent electrodes
Level detection outside the water tank
Automatic shut-off if water level low
Electronic temperature limiter
Stand-by
Fragrance pump control (Steam Commercial)
Fan control



### STEAM COMMERCIAL

Our Steam Commercial steam generator is equipped with a large water tank and is designed to easily connect to our Multi-Steam function – an effective way to avoid stoppages in frequently used systems.



### STEAM HOME

Our latest compact and effective steam generator for home environments. It offers new and improved features such as stand-by, an aromatherapy option and improved protection against stoppages.

FULL PRODUCT RANGE AND BUYING GUIDE ON PAGE 24 AND ONWARDS.





# FINAL TOUCHES TO YOUR STEAM

STEAM | TYLÖ



**MORE STEAM, FASTER STEAM, BETTER STEAM**

Improve your steam bath experience by adding a little extra TylöHelo something to it. Our long standing experience as true steam experts and enthusiasts, we provide a whole host of options for added comfort, convenience and practicality.

**WITH US BEAUTY IS MORE THAN SKIN DEEP**

Extend your relaxation beyond the time in your steam room. Get more efficient steam distribution through steam nozzles, spend less time on care and maintenance by adding an auto clean valve and enjoy soothing fragrances through a TylöHelo automatic fragrance pump.

**PROFESSIONAL STEAM AT HOME**

A steam bath is a soothing and relaxing experience. Don't let anything get between your steam and yourself. Automate as much as possible to minimize cleaning, scheduling, maintenance and care. Just sit back, relax and get on with your day.

**ACCESSORIES SEEN ON THESE PAGES**

Opposite page:  
Tylö Bahia steam outlet  
Tylö Fragrance pump  
Fragrance collection  
Tylö Steam Outlet  
  
This page:  
Light unit  
Water softener Premier Compact  
Steam distributor Commercial

**FOR THE FULL PRODUCT RANGE VISIT TYLOHELO.COM**





# CONTROL PANELS

| TYLÖ

## Elite & WellAccess™ Control your sauna from anywhere

### EFFORTLESS BATHING

The new multi-disciplinary control panel Elite from Tylö is packed with advanced features, thanks to its internal processor and operating system and can be individually programmed according to your own schedule. The Elite control panel handles auxiliary fans, fragrance pumps or sound systems concise precision. The crystalline 4.5-inch screen delivers real-time status on every aspect of your sauna or steam bath.

### WELLACCESS™ - AN ALL-NEW CONTROL PANEL APP FOR MOBILE DEVICES AND COMPUTERS

In order to increase comfort, convenience and a better user experience, we launched WellAccess™, an ingenious computer and smartphone app with a user interface developed for computers and mobile devices.

Simply log on to the control panel through the smartphone app over your local WiFi network and remotely control your sauna or steam. Create and save several different user profiles, favourite settings, and different schedules. Manage multiple units from one point of access, and set unique profiles for different locations in commercial applications.

Note: certain applications require the employment of relay boxes.  
Consult your dealer or go to [tylohelo.com](http://tylohelo.com) for more information.



- Set temperature and humidity
- Can create multiple user profiles
- Control sauna/steam via WiFi and app
- Control several units at a time
- Set different schedules for different week days
- Set specific profiles for specific times or dates
- Instant fault notification



Wi-Fi

Desktop PC

Android/iOS



## Pure

### INTUITIVE DESIGN AND FEATURES

The elegant, compact design of Tylö's Pure control panel makes it the go-to choice for those who value functionality and advanced technology without compromising on aesthetics.

The ultra-thin black control lets you set the lighting, temperature and sauna time easily with only a few touches. Of course, choosing the default start time means you can step into a wonderfully hot sauna as soon as you get home.



# BUYING GUIDES

BUYING GUIDES | TYLÖ


Some of us have huge bathrooms, some have only a tiny space to spare. Some prefer plenty of steam, others like their sauna hot and dry. No matter what your preferences and conditions are, TylöHelo can provide you with the optimal sauna experience. In this buyer's guide we have gathered all the information you need in order to choose the perfect sauna solution to suit your specific needs. If you have questions, don't hesitate to contact one of our sales representatives for guidance.



Buying guide - electric sauna heaters



COMPACT



BUYING GUIDES | TYLÖ

Home electric sauna heaters

Model	Item no.	Output kW	Sauna volume m³	Min. distance to side wall (mm)	Min. ceiling height (mm)		Suitable control panel	Weight heater + rocks (kg)	A	B	C	D	E	F
Compact 2/4	62202000	2.2–4.5	1.2–4	50	1900		Built-in	6+7	400	310	195	260	135	170
Combi Compact 4 with H1	62305000	4	1.2–4.5	50	1900		H1 included	12+7	400	310	–	245	–	225
Sense Sport 6	61001018	6.6	4–8	110	1900		Built-in	17+20	559	431	206	262	262	375
Sense Sport 8	61001012	8	6–12	110	1900		Built-in	17+20	559	431	206	262	262	375
Sense Pure 6	61001031	6.6	4–8	110	1900		Pure included	17+20	559	431	206	262	262	375
Sense Pure 8	61001033	8	6–12	110	1900		Pure included	17+20	559	431	206	262	262	375
Sense Pure 10	61001110	10.5	10–18	110	1900		Pure included	17+20	559	431	206	262	262	375
Sense Elite 6	61001034	6.6	4–8	110	1900		Elite included	17+20	559	431	206	262	262	375
Sense Elite 8	61001035	8	6–12	110	1900		Elite included	17+20	559	431	206	262	262	375
Sense Elite 10	61001112	10.5	10–18	110	1900		Elite included	17+20	559	431	206	262	262	375
Sense Combi Pure 6	61001080	6.6	4–8	110	1900		Pure included	23+20	559	431	280	185	210	375
Sense Combi Pure 8	61001082	8	6–12	110	1900		Pure included	23+20	559	431	280	185	210	375
Sense Combi Pure 10	61001086	10.5	10–18	110	1900		Pure included	23+20	559	431	280	185	210	375
Sense Combi Elite 6	61001036	6.6	4–8	110	1900		Elite included	23+20	559	431	280	185	210	375
Sense Combi Elite 8	61001038	8	6–12	110	1900		Elite included	23+20	559	431	280	185	210	375
Sense Combi Elite 10	61001084	10.5	10–18	110	1900		Elite included	23+20	559	431	280	185	210	375
Expression 10 Black	61001000	10	10–18	200	1900		Pure or Elite with relay box Commercial Lite	29+12	730	500	–	–	–	200
Expression 10 Champagne	61001003	10	10–18	200	1900		Pure or Elite with relay box Commercial Lite	29+12	730	500	–	–	–	200
Expression 10 Copper	61001006	10	10–18	200	1900		Pure or Elite with relay box Commercial Lite	29+12	730	500	–	–	–	200
Expression 10 Black Thermosafe	61001120	10	10–18	200	1900		Pure or Elite with relay box Commercial Lite	29+12	730	500	–	–	–	200
Expression Combi 10 Black	62001010	10	10–18	200	1900		H2 and relay box 45 included	30+12	730	500	–	–	–	200
Expression Combi 10 Champagne	62001013	10	10–18	200	1900		H2 and relay box 45 included	30+12	730	500	–	–	–	200
Expression Combi 10 Copper	62001016	10	10–18	200	1900		H2 and relay box 45 included	30+12	730	500	–	–	–	200
Expression Combi Black Thermosafe	62001018	10	10–18	200	1900		H2 and relay box 45 included	30+12	730	500	–	–	–	200

Professional electric sauna heaters

Sense Commercial 6	61001025	6.6	4–8	110	1900		Pure or Elite with relay box Commercial Lite	16+20	559	431	206	262	262	375
Sense Commercial 8	61001027	8	6–12	110	1900		Pure or Elite with relay box Commercial Lite	16.5+20	559	431	206	262	262	375
Sense Commercial 10	61001090	10.7	10–18	150	1900		Pure or Elite with relay box Commercial Lite	32+25	650	650	310	600	165	400
Sense Commercial 16	61001092	16	15–35	150	2100		Pure or Elite with relay box Commercial	32+25	650	650	310	600	165	400
Sense Commercial 16 3x230V	61001100	16	15–35	150	2100		Pure or Elite with relay box Commercial	32+25	650	650	310	600	165	400
Sense Commercial 20	61001094	20	22–43	150	2100		Pure or Elite with relay box Commercial	32+25	650	650	310	600	165	400
Sense Commercial 20 3x230V	61001102	20	22–43	150	2100		Pure or Elite with relay box Commercial	32+25	650	650	310	600	165	400



Wood burning sauna heaters

Model	Output (kW)	Sauna volume (m3)	Minimum distance to side wall (mm)				Flue opening diameter	Weight without stones (kg)	Weight of stones (kg)	Size in mm width x depth x height
			Front	Side	Back					
Karhu PK 12	16	8–12	500	400	400		115	61	35–40	415 x 485 x 715
Karhu PK 16	18	12–18	500	400	400		115	70	40–45	445 x 485 x 780
Karhu PK 20	20	13–20	500	400	400		115	76	45–50	480 x 480 x 790
Karhu PK 27	25	20–27	500	400	400		129	84	55–60	480 x 480 x 920
Karhu PK 37	29	25–30.5***	500	400	400		129	124	85–90	580 x 580 x 920
Karhu PK 20 VO*/VV**	20	13–20	500	400/150****	400		115	81	45–50	670 x 480 x 790
Karhu PK 27 VO*/VV**	25	20–27	500	400/150****	400		129	88	55–60	670 x 480 x 920
Karhu PK 37 VO*/VV**	29	25–30.5***	500	400/150****	400		129	129	85–90	750 x 580 x 920
Saga 20 PK	20	13–20	500	250	500		129	93	145–150	600 x 585 x 825

Soft Sauna

Sauna volume m³	Sauna heater kW	Relay box	Steam generator kW	Control panel	Required	Optional
10–18	Sense Commercial 10	Commercial Lite	Steam Commercial 9	Elite	Soft Sauna Elite Kit Item no. 71016000	Steam outlet
15–35	Sense Commercial 16	Commercial	Steam Commercial 9	Elite	Soft Sauna Elite Kit Item no. 71016000	Steam outlet
22–43	Sense Commercial 20	Commercial	Steam Commercial 12	Elite	Soft Sauna Elite Kit Item no. 71016000	Steam outlet

Steam generators

Model	Item no.	Output (kW)	Steam room's min./max. volume (m³)				Steam production (kg/h)	Size in mm (LxWxH)	Suitable control panel
			Light wall made of glass, plastic, Elysée Excellent room, etc.		Heavy wall made of tiles, concrete, stone, etc.				
			With ventilation	Without ventilation	With ventilation	Without ventilation			
Steam Home	66210120	3 6 9	– 3–8 6–16	max. 3 4–15 13–24	– 2–5 4–10	max. 2 2.5–8 7–16	3.5 8 12	480 x 350 x 159	Elite or Pure
Steam Commercial	66210010 66210015 66210020	9 12 15	6–16 14–22 18–25	13–24 22–30 28–38	4–10 8–15 10–19	7–16 14–20 18–25	12 16 20	585 x 415 x 230	Elite or Pure
2 x 9 2 x 12 2 x 15	Steam Commercial	18 24 30	20–30 28–40 36–50	28–40 38–50 56–76	13–20 18–30 32–42	18–30 28–40 42–57	24 32 40		Elite or Pure
3 x 9 3 x 12 3 x 15	Steam Commercial	27 36 45	38–45 43–60 54–75	46–60 58–70 84–114	28–40 38–50 47–63	38–52 48–60 60–75	36 48 60		Elite or Pure
VA 6	66202020	6	3–8	4–15	2–5	2.5–8	8	570 x 224 x 485	CC50 or H1
VA 9-K	66203021	9	6–16	13–24	4–10	7–16	12	570 x 224 x 485	
VA 12	66204020	12	14–22	22–30	8–15	14–20	16	570 x 224 x 485	
VA 18	66205020	18	20–30	28–40	13–20	18–30	24	615 x 445 x 485	
VA 24	66206020	24	28–40	38–50	18–30	28–40	32	615 x 445 x 485	
VA 3x9**		27	38–45	46–60	28–40	38–52	36	570 x 224 x 485	
VA 3x12**		36	43–60	58–70	38–50	48–60	48	570 x 224 x 485	
VB 2/4/6*	66201830	2.2 4.5 6.6	– max. 4 3–8	max. 2.5 max. 5.5 4–15	– max. 2.5 2–5	max. 1.5 max. 3.3 2.5–8	3 5.5 8	445 x 130 x 415	CC50 or H1








\* 2.2/4.5/6.6 kW convertible for single, two or three phase connection. \*\* Only one control panel is required for connection.

Accessories




	Model	Item no.	Features
	External switch	90908047	On/off switch to control the sauna from locations other than where the control panel is installed.
	Door contact	90908035	Prevents unintentional start-up of the sauna by remote control if the sauna door is open.
	Elite recessed frame	90001056	Specially designed to work with Elite control panel. The control panel and mounting frame are fully integrated into the wall, regardless of whether they are located outside or inside the sauna room.
	Steam distributor Commercial	90029263	Steam outlet for Tylarium. The Tylö Steam distributor Commercial improves the distribution of steam in your sauna room. Specially designed for Sense Commercial heaters 10–20 kW.
	Steam outlet Bahia Home	90029254	High-efficient and low-noise steam outlet for smaller steam rooms. Made of high-gloss plastic and tempered safety glass panels with a protective coating. Size: 280 x 180 mm (BxH).
	Steam outlet Bahia Pro	90029252	Made of tempered safety glass with an exclusive Corian front panel, highly suitable for large steam rooms. Extremely quiet in operation. Size: 500 x 300 mm (WxH).
	Legs for Sense 6/8/10	90001060	Legs for all Sense sauna heaters 6.6–10.5 kW. Color black.
	Legs for Sense Combi 6/8/10	90001061	Legs for all Sense Combi sauna heaters 6.6–10.5 kW. Color black.
	Sauna stones Mini Compact, 7 kg	90141005	Natural stones of black diabase that tolerate rapid heating and cooling. Suitable for our Compact and Combi Compact heaters.
	Sauna stones, 14 kg	90141000	Natural stones of black diabase that withstand rapid heating and cooling. One carton (approx. 14 kg) is sufficient for our Expression heaters. Sense Commercial 10–20 heaters requires two cartons.
	Sauna stones, 20 kg	90141050	Natural stones of black diabase that withstand rapid heating and cooling. One carton (20 kg) is sufficient for Sense heaters 6.6–10.5 kW and Sense Combi heaters 6.6–10.5 kW.
	Sauna stones wood-fired	90141007	Larger diabase stones, suitable for wood-fired sauna stoves. The stones provide better air circulation and retain heat longer. One box holds 20 kg.



Control panels for sauna and steam

	Model	Item no.	Size WxHxD mm	Features		For sauna or steam?	Suitable sauna heater	Relay box required?	Suitable steam generator
	Pure	72001410	86x86x8	Thermostat controlled touch control panel, for installation inside or outside the sauna or steam room.		Both	Sense Pure - included	No	Steam Home
							Sense Combi Pure - included	No	
							Expression	Yes, relay box Commercial Lite	
							Sense Commercial 6–10 kW	Yes, relay box Commercial Lite	
							Sense Commercial 16–20 kW	Yes, relay box Commercial	
	Elite	72005000	85x127x12	The multi-disciplinary control panel is packed with advanced features, thanks to its internal processor and operating system. Naturally it includes energy saving functions and WiFi/App connectivity.		Both	Sense Elite - included	No	Steam Home
							Sense Combi Elite - included	No	Steam Commercial
							Expression	Yes, relay box Commercial Lite	
							Sense Commercial 6–10 kW	Yes, relay box Commercial Lite	
							Sense Commercial 16–20 kW	Yes, relay box Commercial	
	H1	72001020	80x140x19	H1 is equipped with touch-control and shows temperature and time in operating mode. Can be set for start within a 24-hour period and has a running time between 0–23 hours. Also equipped with a switch for lighting, 12h/24 format and multiple languages. Compatible with Tylö's older heaters Sense Plus, Sense SK (via RB30/60) and SDK/SD (via RB30/60).		Both	Combi Compact 4 - included	No	VA
							Expression	Yes, relay box RB30	VB
							Sense Commercial 6–10 kW	Yes, relay box RB30	
							Sense Commercial 16–20 kW	Yes, relay box RB60	
	H2	72001100	80x140x19	Same functions as the H1. But with the H2 control panel, you can even preset the start program for one week in advance complete with repetitions, do trouble-shooting and control the atmospheric humidity in the sauna room. Compatible with Tylö's older heater Sense Combi.		Sauna	Expression Combi - included	Yes, relay box RB45 - included	
	CC50	71214005	130x190x27	Has a display for time and temperature, switch for lighting and security code function. Programmable for 1, 3, 12 and 24 hours or continuous operation. 0–10 hour preset. Compatible with Tylö's older heaters Sense Plus, Sense SK (via RB30/60) and SDK/SD (via RB30/60).		Both	Expression	Yes, relay box RB30	VA
							Sense Commercial 6–10 kW	Yes, relay box RB30	VB
							Sense Commercial 16–20 kW	Yes, relay box RB60	
	TS 30-6	70202038	195x225x89	Thermostatically-controlled panel for Sense Commercial heaters. For wall-mounted installation outside the sauna (max. distance 1.8 m). Equipped with timer for 6-hour operating time. Compatible with Tylö's older heaters Sense SK, SDK 10 and SD 16.		Sauna	Expression	No	
							Sense Commercial 6–16 kW	No	
	TS 30-12	70212020	195x225x89	Thermostatically-controlled panel for Sense Commercial heaters. For wall-mounted installation outside the sauna (max. distance 1.8 m). Equipped with timer for 12-hour operating time. Compatible with Tylö's older heaters Sense SK, SDK 10 and SD 16.		Sauna	Expression	No	
							Sense Commercial 6–16 kW	No	

Relay boxes for sauna heaters

	Model	Item no.	Size WxHxD mm
	Relay box Commercial Lite	71016014	482x293x75
	Relay box Commercial	71016012	482x293x75
	Relay box RB30	71016006	260x310x75
	Relay box RB60	71016007	305x350x125





TylöHelo dealer